

ELK

CENTRAL INTELLIGENCE AGENCY


INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amonded. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

			•	INFORMATION	ICIALS ONLY			25X
OUNTRY	Bulgari	a			REPORT			
JBJECT		aneous Mil			DATE DISTR.		7 Decem	ber 1953
•	Economi	c Informat	on .		NO. OF PA	GES	6	
ATE OF INFO.					REQUIREMEN'	NO. R	D	
ACE ACQUIRED					REFERENCES			25>
This is U	INEVALU	JATED Info	rmation					
arianga anika rasana ayan ayan ayan ay			E APPRAISAL OF		RT ARE DEFINITIVE.			25X
• .			1			the	Graf Ign	atiev 25X
l. airfiel	d /		1 6 114	A4 - 7 4	runways a	re of con	crete. 🦳	25%
	/ provi	ded a sket	ton of this	iērism.	which the one	DATOM IS	paseu.	
				△				
	1	(-) and any of the last of t		↑			기	
	1 +	المراجع المجالية المسادر						
				2,200				
	$\approx =$			8				
• •				3			5	
	2 2 3						1	
15 X 15 m.	731-						ー わ"	1×15 m.
19 8 13 111	~] [~~)!					
			_	_80 m. →				
			•				_	
	$\approx \square$						_, ;>	
ACKS HANGAR							KASO	OLINE SEPOT
DINGS BIRTERAFT	TRAINING TLANES	ROU	JGH SKETCH	- NOT TO S	CALE	•	943	DER GROUND)
				·				
		SECRET/CO	ONTROL - U	. s. offici	ALS ONLY		er.	

25 YEAR RE-REVIEW

Approved For Release 2009/04/03 : CIA-RDP80-00810A003000820005-3




SECRET/CONTROL - U.S. OFFICIALS ONLY

- 3 -

25X1

8. A second tank obstacle of the same size and construction is located approximately one kilometer north of the one mentioned above, at N. 41-41, E 24-09. Approximately 300 meters north of this point there is a third tank obstacle. It is of the same type and size; however, the movable block is of wood reinforced with concrete. Approximately 1,500 meters beyond this point there is a fourth obstacle followed by a fifth 150 meters further on. The sixth and seventh obstacles are 150 meters and 350 meters north of the second wooden bridge (N 41-44-40, E 24-08-50). These obstacles are all of the type of the third obstacle. About 300 meters beyond the last obstacle there are four concrete and stone blocks, 2.5 meters high, two meters wide, and two meters long, as shown in the sketch below:



- 9. The Dospat-Nevrokop road is approximately four meters wide and has a dirt surface. There are drainage ditches on both sides. The road is in poor condition but can be used for motor transport. Two trucks would have difficulty in passing. There is a telephone line along this road.
- 10. The Dospat-Batak road is four meters wide (five meters on the curves) and consists of hard-packed stones covered with gravel. There are soft shoulders on both sides of the road, approximately 1-1.5 meters wide. On the uphill side of the road there is a ditch 1.5 meters wide. The culverts are made of stone masonry. The road is in good condition and can be used for motor transport in all kinds of weather.
- 11. The Velingrad-Batak road is approximately four meters wide and in fair condition. The road surface is dirt.
- 12. There is a new road which begins at point N 41-45-30, E 24-10-00 and runs north to point N 41-48-30, E 24-10-00, then east along the Damle Dere to the junction of this river and the Karlushka Reka; subsequently, the road runs northward along the Karlushka Reka, over what was formerly a path, to Kyushka (N 41-51, E 24-17), and thence over the former fourth class road to Kurtludzja (N 41-54-30, E 24-18-20), and northeast along an old path to Ravnogor (N 41-57-29, E 24-22-30). The road is completed as far as Kurtludzha, and is four meters wide (except between Kyushka and Kurtludzha, where it is only three meters wide), with a stone base and a dirt surface. From Kurtludzha to Ravnogor the road has been cut through but not finished. This stretch looks as though it were not being worked at the present time.

SECRET/CONTROL - U.S. OFFICIALS ONLY

Approved For Release 2009/04/03: CIA-RDP80-00810A003000820005-3


	SECRET/CONTROL - U.S. OFFICIALS ONLY	
	- lt -	25 X 1
•		25X1
•	There are wooden bridges at coordinates N 41-43-00, E 24-08-10 and at N 41-44, 40, E 24-08-50. The bridges are four meters wide and have a capacity of approximately	
	15 tons. The first bridge is approximately three meters high and four to five meters long. The second bridge is approximately 2.5 meters high and four meters long. The bridges do not have hand rails.	
•	15 tons. The first bridge is approximately three meters high and four to 11 verseters long. The second bridge is approximately 2.5 meters high and four meters	
•	15 tons. The first bridge is approximately three meters high and four to 11ve meters long. The second bridge is approximately 2.5 meters high and four meters long. The bridges do not have hand rails.	
•	15 tons. The first bridge is approximately three meters high and four to 11 ve meters long. The second bridge is approximately 2.5 meters high and four meters long. The bridges do not have hand rails. At the Margarata mine (N 41-54, E 24-36) three shifts are being worked as follows:	

SECRET/CONTROL - U.S. OFFICIALS ONLY

25X1





APPENDIX A



SECRET/CONTROL	-	v.s.	OFFICIALS	ONLY
	_	6 -		

APPENDIX B





SECRET/CONTROL - U.S. OFFICIALS ONLY